AM Machinery inspection certificate

Claas Jaguar 960

#23176



Price on request





Industriestraat 23 5961 PH Horst The Netherlands T + 31 (0)77 - 2066603 sales@ammachinery.nl https://www.ammachinery.nl/



Dear sir/madame,

Thank you for your interest in our **Claas Jaguar 960** built in **2009**, with our internal stock number **23176**. We are a dedicated SPFH specialist, we work professional and transparent, all our equipment is cleaned and run trough our 300 points inspection report. Use this link to get below information:

https://www.ammachinery.nl/claas-jaguar-960-23176.html

Technical specifications

Partnumber	23176	Brand	Claas
Model	Jaguar 960	Year of manufacture	2009
Series	494	Engine hours	4959
Road speed (km/h)	40	Drum hours	2983
Attr 2 or 4 wheel drive	4 WD	Engine Brand	Mercedes-Benz
Engine type	V8	Engine Power HP	622
Engine Power (KW)	458	Front Tires Brand	Michelin
Rear Tires Brand	Continental	Front Tires Size	710/75R34
Rear Tires Size	600/65 R28	Front Tires profile	70
Rear Tires Profile	35	Emission Level	Tier 3
Type knife drum	V-max		
Knife drum	36		
Amount of knives installed	18		
Kernel processor type	Saw tooth		

Options

Auto lubrication	Yes	Rockstopper	Yes
Spout extension	Yes	Spout camera	Yes
Rear view camera	Yes	Printer	Yes
Autopilot module prepared	Yes	Tire pressure system	Yes
Innoculant factory installed	Yes	Climate control	Yes
Electrical adjustable mirrors	Yes	Electrical heated mirrors	Yes
Refrigurator	Yes	Side window wipers	Yes
Electrical KP-gap adjustment	Yes	Air compressor	Yes
LED lights	Yes	Sunblinds window(s)	Yes

2) Short Description

For Sale 2009 Claas Jaguar 960 4WD forage harvester including Kemper 360, 8 rows. 4959 engine hours, 2983 drum hours. Airconditioning, auto lubrication, kernel processor (corn cracker), rockstopper and tire pressure system. This machine has been inspected on 300 points. T In addition, we provide a warranty on all our machines. For more information please send us a message.

3) Product Images











4) Inspection Report

Levels

Anti-freeze level in °C	- 15 °C	Cooling liquid level	Χ*
Engine oil level	X*	Hydraulic oil level	Χ*
Left hand front end drive oil level	V	Rear axle oil level	V
Left hand rear end drive oil level	V	Right hand rear end drive oil level	V
Upper feedrolls gearbox oil level	X*	Gearbox oil level	V
Fan drive gearbox oil level	V	Main gearbox pump drive	Χ*
Gearbox oilpump mainbelt	V		

Condition Knive drum

Type knife drum	V-max	Knife drum	36
Amount of knives installed	18	Knife condition	20%
Knife drum configuration	Grass	Shearbar front surface	☆☆☆☆☆
Shearbar rear surface	☆☆☆☆☆	Shearbar active position	Front
Left hand Knife drum bearing	X*	Right hand Knife drum bearing	Χ*
Knife drum bottom plate	☆☆☆☆☆	Knife drum rear plate	☆☆☆☆☆
Knife drum front cover	★☆☆☆☆	Knife drum stone cover	☆☆☆☆☆
Sharpening stone	★★☆☆☆	Left hand lift cilinder	V
Right hand lift cilinder	V		
Kernal processor			
Gras chute liner	☆☆☆☆☆	Kernel processor rolls	☆☆☆☆☆
Kernel processor type	Saw tooth	Kernel processor front roller left hand bearing	X*
Kernel processor front roller right hand bearing	X*	Kernel processor rear roller left hand bearing	X*
Kernel processor rear roller right hand bearing	X*	Kernel processor drive belt	☆☆☆☆☆
Kernel processor drive tensioner bearings	X*	Kernel processor drive idler roller	Χ*
Kernel processor housing	☆☆☆☆☆	Tensioner springs gap adjustment	V

Feedrolls

Upper front feedroll	☆☆☆☆☆	Upper front feedroll wear strips	☆☆☆☆☆
Upper rear feedroll	★★☆☆☆	Metal detector roll	☆☆☆☆☆
Metal detector roll wear strips	☆☆☆☆☆	Smooth roll	☆☆☆☆☆
Smooth roll scraper	☆☆☆☆☆	Upper front feedroller left hand bearing	Χ*
Upper rear feedroller left hand bearing	X*	Upper rear feedroller right hand bearing	V
Metal detector roll left hand bearing	V	Metal detector roll right hand bearing	V
Smooth roll left hand bearing	V	Smooth roll right hand bearing	Χ*
Main drive feedrolls	V	Belt main drive feedrolls	Χ*
Tensioner belt main drive feedrolls	X*	Upper feedroller arm bushing	Χ*
Feeder housing wear plates	☆☆☆☆☆	Housing opening rubbers	Χ*
Upper feedrolls drive shaft	V	Upper feedrolls tension springs	V
Upper feedrolls shock absorber	X*	Upper feedrolls arm bump stops	V
Upper feedrolls gearbox	V	LOC Gearbox	V
Corn cave			
Corn cave liner	☆☆☆☆☆	Corn cave side liners	☆☆☆☆☆
Corn cave top liner	含含含 合合		
Blower			
Blower paddles	55%	Blower liner	☆☆☆☆☆
Blower housing	V	Left hand blower bearing	V
Right hand blower bearing	V	Blower angled liner	X*

Transition housing

Transition housing	☆☆☆☆☆	Transition liners	
Spout			
Spout turnable wear shims	☆☆☆ ☆☆	Spout swivel tube	
Spout complete housing	☆☆☆ ☆☆	Spout front liner	☆☆☆☆☆
Spout rear liner	☆ ☆☆☆☆	Spout side liners	
Spout extention	☆☆☆☆☆	Spout extention liner	☆☆☆☆☆
Inner Spout deflector	合合合合合	Outer Spout deflector	☆☆☆☆☆
Spout deflector liners	☆☆☆☆		
Engine			
Dry engine	V	Waterpump bearings	V
Engine belting	V	Engine belt tensitioners	X*
Exhaust system	X*	Engine mounting	V
Airfilters	X*	Rotary air screen	V
Rotary air screen rollers	N.A.	Cleaner cooling package	X*
Engine belting idler roller	N.A.	Fan drive gearbox	V
Operational Test Main drive			
Main clutch	☆☆☆☆☆	Main drive belt	☆☆☆☆☆
Main belt tensioner bearings	V		
Drive train			
Front drive shaft's and coupler's	N.A.	Tires condition	V
Rear axle stub axle	X*	Rear axle ball joint	X*
Steering cylinders	V		

Operators station

Front window	V	Rear window	٧
Cab door	V	Cab door latch	٧
Cab right hand window	V	Cab roof	٧
Cab front bottom cover	V	Mirrors	٧
Joystick	V	Armrest control panel	٧
Steering wheel adjustment	X*	Front window wiper	Χ*
Rear window wiper blade	N.A.	Side window wipers blade	Χ*
Cab air filter	Χ*	Seat	٧
Machine body			
Front cover	V	Left hand cover	٧
Right hand cover	V	Rear cover	٧
Electrical			
Head lights	V	Rear lights	٧
Brake lights	V	Turn signal/hazard lights	٧
Rotary beacon	V	Dome lights	٧
Cab upper front work lights	X*	Cab side work lights	٧
Fender work lights	N.A.	Upper rear work lights	٧
Lower rear work lights	N.A.	Spout work lights	V
Fuel gauge	V		

Functional test

Engine oil pressure low idle cold	3.8 bar	Engine oil pressure high idle cold	5 bar
Hydrostatic drive neutral	V	Transmission shifting	V
4WD working (if applicable)	V	Foot brakes L/R	V
Parking brake	V	Main clutch working	٧
Autolube	X*	Length of Cutt adjustment	V
Header speed adjustment	V	Header height control	V
Header Lateral Tilt (if applicable)	N.A.	Front hydraulics	V
Dump valve (high flow hydraulics)	N.A.	Spout turning	V
Metal detector	V	Spout deflector	٧
Sharping system	V	Shearbar adjustment	V
Cutterhead reverser	N.A.	Kernel processor gap adjustment	Χ*
Airconditioning cold	X*	Electrical functions cabin	V
Camera(s)	X*	Radio	٧
Road & Working Lights	V	Free of error codes	X*

Header

Stocknumber	23164	Brand	Kemper
Model	360	Amount of rows	8
Working width	6 M	Autosteer sensor	٧
Header lateral tilt	V	Header height control sensors	N.A.
Cutting knives	☆☆☆☆☆	Drum bearings	X*
Cleaners	V	Drums	٧
Drum cleaners / scrapers	X*	Drive shaft	V
Drive line couplers	V	Drive chains and belts	X*
Crop dividers	V	Oil levels	X*
Down corn augers	X*	Ground skid plates	٧
Fold cilinders	X*	Hydraulic hoses/lines	٧
Transport accident prevention	N.A.	Support wheel(s)	N.A.
Support legs	V	Wearplates	٧

5) Operational test

Main drive

Main clutch	☆☆☆☆☆	Main drive belt	☆☆☆☆☆
Main belt tensioner bearings	V		

6) Recommended Repairs

Aftermarket camera system cable replacement
Airfilter replacement OM502LA double filter
ATP mudule error check
autolube repair
Belt replacement crop divider kemper 300 LH side
Blower angled liner replacement 494
Blower electric gap adjustment motor replacement

Blower rear liner replacement

Blower rear side liners replacement

Cab air filter replacement

Cab RH outher worklight replacement

Cleaner cooling package bearing replacement

Coolant replacement OM502LA

Cover airfilters gasspring replacement 494

Drum and knife disc bearing replacement Kemper 300 2e left

Drum and knife disc bearing replacement Kemper 300 2e left

Drum and knife disc bearing replacement Kemper 300 4e left

Drum and knife disc bearing replacement Kemper 300 5e left

Drum and knife disc bearing replacement Kemper 300 5e left

Drum and knife disc bearing replacement Kemper 300 7e left

Drum and knife disc bearing replacement Kemper 300 7e left

Drum and knife disc bearing replacement Kemper 300 8e left

Drum and knife disc bearing replacement Kemper 300 8e left

Engine belt tensioner roller replacement 494 new model

Exhaust manifold 1 bolt replacement V8 front

Fan drive tensioner roller bearings replacement 494

Feeder housing side seal replacement LH

Feeder housing side seals replacement till 49401277 RH

Feeder housing wear plates front top replacement

Feederhousing wear plates replacement rear 494/497/498

Feedroll drive belt replacement 2-groove

Front window wiperblade replacement

Grass chute liner replacement till49402913

Hydraulic oil cooler replacement 494 OM502LA

Inner bushing replacement Lh side 4 -Trac

Innoculant level sensor relacement 494

Kemper 300 1e feeder roller gearbox (wing) topseal replacement

Kemper 300 1e feeder roller gearbox (wing) topseal replacement

Kemper 300 2e feeder roller gearbox (wing) topseal replacement

Kemper 300 2e feeder roller gearbox (wing) topseal replacement

Kemper 300 4e feeder roller gearbox (wing) topseal replacement

Kemper 300 4e feeder roller gearbox (wing) topseal replacement

Kemper 300/400 1e gearbox knifedisc oil leakage top and rear repair

Kemper 300/400 1e gearbox knifedisc oil leakage top and rear repair

Kemper 300/400 2e gearbox knifedisc oil leakage top and rear repair

Kemper 300/400 3e gearbox knifedisc oil leakage top and rear repair

Kemper 300/400 3e gearbox knifedisc oil leakage top and rear repair

Kemper 300/400 7e gearbox knifedisc oil leakage top and rear repair

Kemper 300/400 8e gearbox knifedisc oil leakage top and rear repair

Kemper 300/445/4500 down corn auger pully replacement LH

Kemper 300/445/4500 down corn auger pully replacement RH

Kemper 300445/4500 down corn auger pully replacement LH

Kemper 360 seal replacement fold cilinder RH side

Kernal Processor gap adjustment error repair

Kernel processor drive idler roller bearing replacement till 49402913

Kernel processor drive tentioner bearing replacement

Kernel processor front roller left bearing replacement 250mm

Kernel processor front roller right bearing replacement 250mm

Kernel processor lower wearplates replacement intensive cracker L 250mm

Kernel processor rear roller left bearing replacement 250mm

Kernel processor rear roller right bearing replacement 250mm

Knife drum bottom plate replacement 494/497

Knife drum front cover Welding

Knife drum rear plate replacement 494

Knive replacement 36 corn V-Max

Left hand knife drum bearing replacement

Main drive feedrolls brake pad replacement

Main gearbox pump drive oil service

Mercedes OM502 oil change

Metal detector roll wear strips replacement 494/497/498/502

Outer pin and bushing replacement Lh side 1 plug end drive 4-Trac

Outer pin and bushing replacement Rh side 1 plug end drive 4 -Trac

Radial play repair LH 4-Trac Till: 49403293

Radial play repair RH 4-Trac Till: 49403293

Remove play on adjustment

Replace seals level indicator hydraulic oil reservoir

Right hand knife drum bearing replacement

Shearbar Guide plates replacement

Side window wiper blade replacement LH

Side window wiper blade replacement RH

Smooth roll right hand bearing replacement 494/497/498/502

Smooth roller scraper replacement till 49401494

Spout rear liner replacement old style

Spout rear side liner LH replacement

Spout rear side liner RH replacement

Spout swivel tube overhaul 494

Stone cover cilinder hoses replacemen till 4944584

Tensioner roller bearings belt main drive feedrolls 494/497/498/502

Transition liners replacement

Upper feedroll arm bushing replacement LH side

Upper feedroll arm bushing replacement RH side

Upper feedrolls shock absorber replacement 494

Upper front feedroller left hand bearing replacement

Upper front feedroller wear strips replacement 494

Upper rear feedroller left hand bearing replacement 494/497/498

Upper rear feedroller replacement 494

Welding

Welding 2 hours

AC repair

7) A&M PREMIUM Warranty

All our equipment is inspected with the Harvester-Guard (R) inspection software. This certificate declares that this forage harvester has A&M PREMIUM warranty on:

- 1. All inspected CROP-FLOW components with a 3, 4 or 5 star rating.
 - 2. All CROP-FLOW bearings which have status approved.

Warranty on repairs:

Components with 1 or 2 star rating are subject for repair and have no warranty. In case A&M Machinery is ordered to repair the 1 and 2 stars components then warranty is in place, as repair implies upgrade to 5 stars or status approved.

Eventually repairs are reported in the 'A&M PREMIUM or A&M EXCLUSIVE warranty certificate & terms' document.