

Harvester Guard inspection certificate

John Deere 8400

#23174-30





Industriestraat 23 5961 PH Horst The Netherlands T + 31 (0)77 – 2066603 sales@ammachinery.nl https://www.ammachinery.nl/

×

Dear sir/madame,

Thank you for your interest in our **John Deere 8400** built in ,with our internal stock number **23174-30**.We are a dedicated SPFH specialist, we work professional and transparent, all our equipment is cleaned and run trough our 300 points inspection report. Use this link to get below information: **https://www.ammachinery.nl/john-deere-8400-23174-30.html**

Technical specifications

Partnumber	23174-30	Brand	John Deere
Model	8400	Series	8000
Engine hours	2924	Road speed (km/h)	40
Drum hours	2038	Attr 2 or 4 wheel drive	4 WD
Engine Brand	John Deere	Engine type	L6
Engine Power HP	516	Engine Power (KW)	397
Front Tires Brand	Michelin	Rear Tires Brand	Michelin
Front Tires Size	800/70R38	Rear Tires Size	620/75R30
Front Tires profile	87	Rear Tires Profile	93
Emission Level	Tier 4 (Adblue)		
Knife drum	64		
Amount of knives installed	64		
Kernel processor type	Saw tooth		

Options

Auto lubrication	Yes	Rockstopper	Yes
Spout extension	Yes	Automatic spout rotation	Yes
Rear view camera	Yes	Trailer hitch	Yes
NIR sensor cabling	Yes	Autopilot module prepared	Yes
Innoculant factory installed	Yes	Climate control	Yes
Electrical adjustable mirrors	Yes	Electrical heated mirrors	Yes
Refrigurator	Yes	Side window wipers	Yes
Rear window wiper	Yes	Autocontour	Yes
Electrical KP-gap adjustment	Yes	Partly duraline wear kit	Yes
Air compressor	Yes	LED lights	Yes
Sunblinds window(s)	Yes	Operators manual	Yes
Chromed exhaust stacks	Yes	Bleu-tooth phone device	Yes

2) Short Description

For sale 2015 John Deere 8400, 4WD, including Kemper 360 Plus, 2923 engine hours and 2016 cutting hours, 64 knife drum, automatic lubrication, kernel processor (corn cracker). This machine has been inspected on 300 points. The inspection report is available. In addition, we provide a warranty on all our machines. For more information please send us a message.

3) Product Images









4) Inspection Report

Levels	
--------	--

Anti-freeze level in °C	- 30 °C	Cooling liquid level	Χ*
Engine oil level	X*	Hydraulic oil level	V
Left hand front end drive oil level	V	Rear axle oil level	V
Left hand rear end drive oil level	X*	Right hand rear end drive oil level	Х*
Upper feedrolls gearbox oil level	V	Gearbox oil level	V
Gearbox header drive	V	Power distribution gearbox	V

Condition Knive drum

Knife drum	64	Amount of knives installed	64
Knife condition	75%	Knife drum configuration	Corn
Shearbar front surface	★★☆☆☆	Shearbar rear surface	☆☆☆ ☆☆
Shearbar active position	Front	Left hand Knife drum bearing	V
Right hand Knife drum bearing	V	Knife drum bottom plate	☆☆☆☆☆
Knife drum rear plate	☆☆☆☆☆	Knife drum front cover	🛧 ជំជំជំជំជំ
Knife drum stone cover	★★☆☆☆☆	Sharpening stone	☆☆☆☆☆
Left hand lift cilinder	V	Right hand lift cilinder	V
Kernal processor			
Kernal processor Gras chute liner	含含含 ☆☆	Kernel Processor rolls	☆☆☆ ☆☆
-	★★☆☆☆ Saw tooth	Kernel Processor rolls Kernel Processor front roller left hand bearing	含含含 合合 V
Gras chute liner		Kernel Processor front	
Gras chute liner Kernel processor type Kernel processor front roller right hand	Saw tooth	Kernel Processor front roller left hand bearing Kernel processor rear	V
Gras chute liner Kernel processor type Kernel processor front roller right hand bearing Kernel processor rear roller right hand	Saw tooth V	Kernel Processor front roller left hand bearing Kernel processor rear roller left hand bearing Kernel Processor drive	V V

Feedrolls

Upper front feedroll	☆☆☆ ☆☆	Upper front feedroll wear strips	☆☆ ☆☆☆
Upper rear feedroll	★★☆☆☆☆	Metal detector roll	☆☆☆ ☆☆
Metal detector roll wear strips	☆☆☆☆☆	Smooth roll	☆☆☆ ☆☆
Smooth roll scraper	☆☆☆☆☆	Upper front feedroller left hand bearing	Х*
Upper rear feedroller left hand bearing	X*	Upper rear feedroller right hand bearing	V
Metal detector roll left hand bearing	V	Metal detector roll right hand bearing	V
Smooth roll left hand bearing	V	Smooth roll right hand bearing	V
Upper feedroller arm bushing	X*	Feeder housing wear plates	✿☆☆☆☆
Upper feedrolls drive shaft	V	Upper feedrolls tension springs	V
Upper feedrolls arm Bump stops	V		
Corn cave			
Corn cave liner	★☆☆☆☆☆	Corn cave side liners	☆☆☆ ☆☆
Corn cave top liner	★★☆☆☆		

Blower

	Blower paddles	90%	Blower liner	☆☆☆ ☆☆
	Blower housing	Х*	Left hand blower bearing	Х*
	Right hand blower bearing	Х*		
1	Fransition housing			

Transition housing 合合合合公 Transition liners



Spout

Spout turnable wear shims	★★☆☆☆	Spout swivel tube	☆☆☆☆☆
Spout complete housing	★★☆☆☆	Spout front liner	☆☆☆ ☆☆
Spout middle liner	☆☆☆ ☆☆	Spout rear liner	☆☆☆☆ ☆
Spout side liners		Spout extention	☆☆☆ ☆☆
Spout extention liner	☆☆☆☆ ☆	Inner Spout deflector	☆☆☆ ☆☆
Outer Spout deflector	★★☆☆☆		
Engine			
Dry engine	X*	Waterpump bearings	N.A.
Engine belting	V	Engine belt tensitioners	X*
Exhaust system	X*	Engine mounting	V
Airfilters	X*	Rotary air screen	X*
Rotary air screen rollers	X*	Cleaner cooling package	X*
Engine belting idler roller	Х*		
Operational Test Main drive			
Main clutch	☆☆☆ ☆☆	Main drive belt	☆☆☆☆☆☆
Main belt tensioner bearings	V	Header drive shaft	V
Header drive bearing	V		
Drive train			
Front drive shaft's and coupler's	V	Tires condition	V
Rear axle drive shaft	N.A.	Rear axle stub axle	V
Rear axle ball joint			
Real axie ball joint	V	Steering cylinder	V

Front window	V	Rear window	V
Cab door	V	Cab door latch	V
Cab right hand window	V	Cab roof	Х*
Cab front bottom cover	V	Mirrors	V
Joystick	V	Armrest control panel	V
Steering wheel adjustment	V	Front window wiper	V
Rear window wiper blade	V	Side window wipers blade	V
Cab air filter	V	Seat	V
Machine body			
Front cover	V	Left hand cover	V
Right hand cover	V	Rear cover	Х*
Electrical			
Head lights	V	Rear lights	V
Brake lights	V	Turn signal/hazard lights	V
Rotary Beacon	V	Dome lights	V
Cab upper front work lights	V	Cab side work lights	N.A.
Fender work lights	V	Upper rear work lights	V
Lower rear work lights	N.A.	Spout work lights	V
Fuel gauge	V		

Functional test

Engine oil pressure low idle cold	4 bar	Engine oil pressure high idle cold	5.5 bar
Engine oil pressure low idle operating temperature	3.5 bar	Engine oil pressure high idle operating temperature	5.2 bar
Hydrostatic drive neutral	V	Transmission shifting	V
4WD working	V	Foot brakes L/R	V
Parking brake	V	Main clutch working	V
Autolube	V	Length of cutt adjustment	V
Header speed adjustment	V	Header height control	V
Header Lateral Tilt - if applicable	V	Front hydraulics	V
Dump valve (high flow hydraulics)	N.A.	Spout turning	Х*
Metal detector	V	Spout deflector	V
Sharping system	V	Shearbar adjustment	V
Cutterhead reverser	V	Kernel Processor gap adjustment	V
Airconditioning cold	V	Electrical functions cabin	V
Camera(s)	V	Radio	V
Road & Working Lights	V	Free of error codes	V

Header

Stocknumber	22204	Brand	Kemper
Model	360 plus	Amount of rows	8
Working width (cm)	600	Autosteer sensor	N.A.
Header lateral tilt	V	Header height control sensors	N.A.
Cutting knives	☆☆☆☆☆ ☆	Drum bearings	V
Cleaners	V	Drums	V
Drum cleaners / scrapers	V	knife discs	V
Drive shaft	V	Drive line couplers	V
Drive chains and belts	N.A.	Crop dividers	V
Oil levels	V	Down corn augers	N.A.
Ground skid plates	V	Fold cilinders	V
Hydraulic hoses/lines	V	Transport accident prevention	N.A.
Support wheel(s)	N.A.	Support legs	V
Feeder auger	N.A.	Feeder auger bearings	N.A.
Wearplates	V		

5) Operational test

Main drive Main clutch 含含合公公 Main belt tensioner V Header drive shaft V Header drive bearings V V V

6)Recommended Repairs

13.5 engine oil replacement Aircompressor ribbed idler roller replacement Aircompressor smooth idler roller replacement Airfilters replacement 8300/8400 (HXE60967 HXE60966) Belt replacement 40% difference standaard body Blower housing deflector adjustment Blower paddles adjustment Blower side liners replacement narrow body Cleaner cooling package bearings replacement Crankshaft sear rear replacement 6135HZ014-RE555819 Exhaustpipe mufler isolator replacement Feedroll damping cylinder balljoint replacement Hoses replacement spout lifting Iddle roller replacement Kernel Processor drive tensioner rollers replacement 6HA Knife drum bottom plate replacement standard body Knife drum front cover repl standard body till -516999 Knife drum rear plate replacement standard body Knife drum stone cover replacement standard body Left hand blower bearing replacement Left hand rear end drive oil replacement Main drive main pulley 307,5mm replacement Replace metal detector roll wear strips Standard body Right hand blower bearing replacement Right hand rear end drive oil replacement Rotary air screen cleaning fan belt replacement Scraper replacement standard body Sharping stone adjustment Shearbar angle LH+RH replacement Side wearplates replacement standaard + wide body Spout hose protection replacement Spout second (middle) side liner replacement LH side Spout second (middle) side liner replacement RH side Spout swivel tube gears adjustment Tensioner replacement ac/altenator belt Tensioner replacement aircompressor belt Tensioner roller replacement Turn around shearbar Upper feedrolls gearbox overhaul Upper feedrolls gearbox roller replacement Upper front feed roll wear strips turning Upper front feedroller right hand bearing replacement Upper rear feedroll replacement standard body Ventilation louvre replacement Welding

7) A&M PREMIUM Warranty

All our equipment is inspected with the Harvester-Guard (R) inspection software. This certificate declares that this forage harvester

has A&M PREMIUM warranty on:

1. All inspected CROP-FLOW components with a 3, 4 or 5 star

rating.

2. All CROP-FLOW bearings which have status approved.

Warranty on repairs:

Components with 1 or 2 star rating are subject for repair and have no warranty. In case A&M Machinery is ordered to repair the 1 and 2 stars components then warranty is in place, as repair implies upgrade to 5 stars or status approved.

Eventually repairs are reported in the 'A&M PREMIUM or A&M EXCLUSIVE warranty certificate & terms' document.