

Harvester Guard inspection certificate

John Deere 7400

#25033-30





Industriestraat 23 5961 PH Horst The Netherlands T + 31 (0)77 – 2066603 sales@ammachinery.nl https://www.ammachinery.nl/

×

Dear sir/madame,

Thank you for your interest in our **John Deere 7400** built in ,with our internal stock number **25033-30**.We are a dedicated SPFH specialist, we work professional and transparent, all our equipment is cleaned and run trough our 300 points inspection report. Use this link to get below information: **https://www.ammachinery.nl/john-deere-7400-25033-30.html**

Technical specifications

Partnumber	25033-30	Brand	John Deere	
Model	7400	Series	7000	
Engine hours	4740	Road speed (km/h)	40	
Drum hours	3341	Attr 2 or 4 wheel drive	4 WD	
Engine Brand	John Deere	Engine type	L6	
Engine Power HP	502	Engine Power (KW)	375	
Front Tires Brand	Michelin	Rear Tires Brand	Michelin	
Front Tires Size	800/65 r32	Rear Tires Size	540/65 r26	
Front Tires profile	75	Rear Tires Profile	45	
Emission Level	Tier 3			
Knife drum	56			
Amount of knives installed	28			
Kernel processor type	Saw tooth			
Options				
Auto lubrication	Yes	Spout extension	Yes	
Trailer hitch	Yes	Autopilot module prepared	Yes	
LED lights	Yes	Sunblinds window(s)	Yes	
Road registration papers	Yes			

2) Short Description

2005 John Deere 7400 4WD including John Deere 630B 3 meter gras pick up

3) Product Images







4) Inspection Report

Levels

Anti-freeze level in °C	- 30 °C	Cooling liquid level	Х*
Engine oil level	X*	Hydraulic oil level	Х*
Left hand front end drive oil level	V	Rear axle oil level	V
Left hand rear end drive oil level	X*	Right hand rear end drive oil level	Х*
Upper feedrolls gearbox oil level	X*	Gearbox oil level	V
Brake fluid	X*		

Condition Knive drum

Knife drum	56	Amount of knives installed	28		
Knife condition	23%%	Knife holders	V		
Knife drum configuration	Grass	Shearbar front surface	☆☆☆☆☆		
Shearbar rear surface	★★☆☆☆	Shearbar active position	Rear		
Left hand Knife drum bearing	X*	Right hand Knife drum bearing	V		
Knife drum bottom plate	☆☆☆ ☆☆	Knife drum rear plate	☆☆☆ ☆☆		
Knife drum front cover	☆☆☆☆☆	Knife drum stone cover	☆☆☆☆☆☆		
Knife drum chain coupler	V	Sharpening stone	☆☆ ☆☆☆		
Left hand lift cilinder	X*	Right hand lift cilinder	Х*		
Kernal processor					
Gras chute liner	☆☆☆☆☆	Corn shute liner	☆☆☆☆☆		
Kernel Processor rolls	☆☆☆ ☆☆	Kernel Processor upper roll	☆☆☆ ☆☆		
Kernel Processor lowwer roll	★☆☆☆☆	Kernel processor type	Saw tooth		
Kernel Processor drive belt	☆☆☆☆☆	Kernel Processor drive tensioner bearings	Х*		
Kernel Processor drive idler roller	X*	Kernel processor belt tensioner rolls	Х*		
Kernel Processor housing	★★☆☆☆	Tensioner springs gap adjustment	V		
Wear plates					

Upper front feedroll	★★☆☆☆	Upper rear feedroll	☆☆☆ ☆☆☆	
Metal detector roll	含含☆ ☆☆	Smooth roll	☆☆ ☆☆☆	
Smooth roller chain coupler	X*	Smooth roll scraper	☆☆☆☆☆☆	
Upper front feedroller left hand bearing	V	Upper rear feedroller left hand bearing	X*	
Upper rear feedroller right hand bearing	Х*	Metal detector roll left hand bearing	Χ*	
Metal detector roll right hand bearing	V	Smooth roll left hand bearing	Χ*	
Smooth roll right hand bearing	X*	Upper feedroller arm bushing	Χ*	
Feeder housing wear plates	ដ្ ជជជជ	Upper feedrolls drive shaft	V	
Upper feedrolls tension springs	V	Upper feedrolls arm Bump stops	Х*	
Loc gearbox	Х*	Gearbox upper feedrolls	Х*	
Metal detector roll drive shaft	V			
Corn cave				
Corn cave liner	★★★☆☆☆	Corn cave top liner	☆☆☆☆☆	
Corn cave door	☆☆☆ ☆☆			
Blower				
Blower paddles	75%	Blower liner	☆☆☆☆☆	
Blower housing	V	Left hand blower bearing	V	
Right hand blower bearing	V			
Transition housing				
Transition housing	★★☆☆☆	Transition liners	☆☆☆☆☆	

Spout

Spout turnable wear shims		Spout swivel tube	☆☆☆ ☆☆
Spout complete housing	☆☆☆☆☆	Spout front liner	☆☆☆ ☆☆
Spout middle liner		Spout rear liner	☆☆☆☆ ☆☆
Spout side liners	☆☆ ☆☆☆	Spout extention	☆☆☆ ☆☆
Spout extention liner	☆☆ ☆☆☆	Inner Spout deflector	☆☆ ☆☆☆
Outer Spout deflector			
Engine			
Dry engine	V	Waterpump bearings	V
Engine belting	V	Engine belt tensitioners	V
Exhaust system	V	Engine mounting	V
Airfilters	X*	Rotary air screen	V
Rotary air screen rollers	V	Cleaner cooling package	X*
Engine belting idler roller	V	Rotary air screen belt tensioner roller	V
Rotary air screen belt	V	Rotary screen fan drive belt	N.A.
Rotary screen fan drive belt tensioner	N.A.		
Operational Test Main drive			
Main clutch	☆☆☆ ☆☆	Main drive belt	☆☆☆ ☆☆
Main belt tensioner bearings	Х*		
Drive train			
Front drive shaft's and coupler's	Χ*	Tires condition	Χ*
Rear axle stub axle	X*	Rear axle ball joint	V
Steering cylinder	V		

Operators station

Front window	V	Rear window	V
Cab door	V	Cab door latch	V
Cab right hand window	V	Cab roof	V
Cab front bottom cover	V	Mirrors	V
Joystick	V	Armrest control panel	V
Steering wheel adjustment	V	Front window wiper	Х*
Rear window wiper blade	N.A.	Side window wipers blade	Х*
Cab air filter	Χ*	Seat	V
Machine body			
Front cover	V	Left hand cover	Х*
Right hand cover	Χ*	Rear cover	Х*
Electrical			
Head lights	V	Rear lights	V
Brake lights	V	Turn signal/hazard lights	V
Rotary Beacon	V	Dome lights	V
Cab upper front work lights	V	Cab side work lights	N.A.
Fender work lights	Х*	Upper rear work lights	V
Lower rear work lights	N.A.	Spout work lights	V
Fuel gauge	Χ*		

Functional test

Engine oil pressure low idle cold	☆☆☆☆☆	Engine oil pressure high idle cold	4,8
Engine oil pressure low idle operating temperature	3,8	Engine oil pressure high idle operating temperature	☆☆ ☆☆☆
Hydrostatic drive neutral	Χ*	Transmission shifting	V
4WD working	Х*	Foot brakes L/R	Х*
Parking brake	X*	Main clutch working	V
Autolube	Χ*	Length of cutt adjustment	V
Header speed adjustment	V	Header height control	V
Header Lateral Tilt - if applicable	N.A.	Front hydraulics	V
Dump valve (high flow hydraulics)	N.A.	Spout turning	V
Metal detector	X*	Spout deflector	V
Sharping system	V	Shearbar adjustment	V
Cutterhead reverser	V	Kernel Processor gap adjustment	V
Airconditioning cold	V	Cab heating	V
Electrical functions cabin	V	Camera(s)	N.A.
Radio	V	Road & Working Lights	V
Free of error codes	Χ*		

5) Operational test

Main drive

Main clutch

☆☆☆☆☆

Main drive belt



Main belt tensioner bearings Х*

6)Recommended Repairs

12.5 liter engine oil change 4WD hose replacement (upper hose on 4WD motor) 60MM lift cilinder seal's replacement 60MM lift cilinder seal's replacement Adjust parking brake Air filter repl 7180-7200-7250-7300-7350 (AZ45868+AZ45867) Bearing replacement Bearing replacement Bearing replacement Blower paddles adjustment Brake cilinder repair RH side Brake oil reservoir replacement Brakeline repl reservoir to master brake cil 7000-7050 Bushing cil support replacement Bushing cil support replacement Cab AC filter replacement 7050-7080 Cab air filter replacement Corn cave top liner replacement Corn shute belt bracket installation Fender work light glass replacement double beam Front window wipers replacement Fuel filter repl single filter Fuel gage replacement after s/n 507479 Header drive output shaft seal replacement IV-Loc Hydraulic filter pressure sensor replacement Idler pully bearing replacement Inner spout deflector replacement Installation 28 new grass knives Kernel processor drive idler roller bearing replacement Kernel Processor idler roller bearing replacement Kernel processor tension roller bearings replacement KP drive tensioner bearing roller repl (3-groove) KP loop lube line + coupler repl Left hand knife drum bearing replacement Left hand rear end drive oil replacement Metal detector clutch adjustment/maintenance Metal detector roll left hand bearing replacement Parking brake adjustment Radiator cap replacement Return hose main hydrostatic drive motor replacement Right hand rear end drive oil replacement Rotor replacement old style Sharpening stone replacement Sharpening stone wear slideplate replacement Sharpening system adjustment Shearbar side wear plates Shift rod seal IVT-lock replacement Side window wipers replacement

Smooth roller chain coupler sprockets replacement Smooth roller replacement Solenoid valve leakage (replacement) Spout middle side liners replacement Spout turntable wear shims replacements Spout welding Stub axle play repair LH FWD CARRARO Stub axle play repair RH FWD CARRARO Tentioner arm bushing replacement Tentioner pully bearing replacement Top cover access not slip decals replacement Upper feedroller arm cover replacement Upper feedrolls arm bump stops replacement front Upper feedrolls arm bump stops replacement rear Upper feedrolls gearbox grease replacement Upper feedrolls gearbox new seals and bearings Till SN508099 Upper front feed roll repl Upper rear feedroller left hand bearing replacement Upper rear feedroller right hand bearing replacement Welding

7) A&M PREMIUM Warranty

All our equipment is inspected with the Harvester-Guard (R) inspection software. This certificate declares that this forage harvester has A&M PREMIUM warranty on:

1. All inspected CROP-FLOW components with a 3, 4 or 5 star rating.

2. All CROP-FLOW bearings which have status approved.

Warranty on repairs:

Components with 1 or 2 star rating are subject for repair and have no warranty. In case A&M Machinery is ordered to repair the 1 and 2 stars components then warranty is in place, as repair implies upgrade to 5 stars or status approved.

Eventually repairs are reported in the 'A&M PREMIUM or A&M EXCLUSIVE warranty certificate & terms' document.